

# Sectioning with reledmac (not numbered)

## Summarium

This file provides examples of use of sectioning commands with reledmac. The sections are outside of the numbered text.

The optional argument of `\pstart` is used. The optional argument of `\pend` is also used.

## 1 Section title

Lorem ipsum dolor sit amet, consectetur adipisicing elit sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi Une note à la ligne 5 consequat ut aliquip consequat

### 1.1 Subsection title

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu ur.  
5 Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat.

### 1.2 Subsection title

Lorem ipsum dolor sit amet, consectetur adipisicing elit sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud  
10 exercitation ullamco laboris nisi consequat ut aliquip consequat

\*

## 2 Section title

Irure dolor in reprehenderit in voluptate velit esse cillum dolore eu ur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat.